भारत सरकार /Government of India
वाणिज्य- और उद्योग मंत्रालय/Ministry of Commerce & Industry
पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन(पेसो)/Petroleum & Explosives Safety Organisation (PESO)
5th Floor, A-Block, CGO Complex, Seminary Hills,
Nagpur - 440006

ई-मेल/E-mail : **explosives@explosives.gov.in**
फोन/फैक्सा नं./Phone/Fax No : **0712 -2510248, Fax-2510577**

संख्या/No :CPS124893 दिनांक/Dated : **26/10/2026**

सेवा में/To,

M/s Ndtee Services Pvt. Ltd. Project 2
F - II, A - 9, Udyam, Aurangabad Co-op Indl Estate
City: Aurangabad
Taluka: Aurangabad
District: AURANGABAD
State: Maharashtra Pin: 431005

विषय/Sub : स्थिर तथा गतिशील दाबपात्र (अज्वलित) नियम 2016 के तहत सक्षम व्यक्ति के रूप में मान्यता-के बारे में। /Recognition as Competent Person under **SMPV(U) Rules 2016**- Regarding.

महोदय/Sir(s),

Please refer to your application No.**OIN2384278** dated 07/10/2026.

1. In terms of Rule 2(d) and 11A of SMPV(U) Rules 2016, your organisation comprising of persons indicated below is also hereby recognised as competent persons for carrying out periodic testing, certification of safety, relief valves fitted to pressure vessels under Rule 18, periodic inspection, testing and certification of pressure vessel under Rule 19 issue of safety certificate under Rule 33 for installation of pressure vessel

Recognised under SMPV(U) Rules 2016	**Name of Recognised Competent Person**
Rule 18 - Mobile : Non Cryogenic Rule 18 - Static : Non Cryogenic : Underground Rule 18 - Static : Non Cryogenic : Aboveground Rule 18 - Mobile: Non-toxic Rule 18 - Mobile: Non-flammable Rule 18 - Mobile: Inflammable Rule 18 - Static: AG Non-toxic Rule 18 - Static: AG Non-flammable Rule 18 - Static: AG Inflammable Rule 18 - Static: UG Inflammable Rule 19 - Mobile: Non-flammable Rule 19 - Static: AG Non-flammable	1) Shri/Smt: Nitin Vitthal Pote (CPS124893-1)

2. Please also note that the certificate issued by the recognized technical persons shall be countersigned by above Competent Person

3. It may also please be noted that before issue of certificate of safety under Rule 33, conformity of layout of various facilities with the approved plan should be verified and the vessel should be checked with respect to certificate of controll of the inspecting agency and suitability of other fittings and equipment should be ensured. In case of safety certificate under Rule 43, the related mounting drawings shall be checked.

The above recognition is also subjected to the following condition.

4. All tests, examinations and inspections shall be carried out in a manner consistent with the intent or the purpose of SMPV(U) Rules 2016.

5. The certificates under the SMPV(U) Rules, 2016 shall be generated online with the help of your

User ID, from this organisation`s website. **Duly signed copies of such Certificates shall also be enclosed with the application for Approval/Grant/Amendment of the licenses, as the case may be.** Manually made certificate will not be entertained.

6. You shall maintain records & submit annual return in prescribed format (copy enclosed) in respect of certificate issued by you, indicating Chief Controller of Explosives/Jt. Chief Controller of Explosives`s approval reference no. in respect of proposed licensed premises; Certificate number; Name & address of the applicant company/client; complete address of the site/premises; Name of contact person of the company/client; etc..

7. You shall not subcontract testing and examinations work to any other person/agency.

The recognition granted above may be revoked at any time in case of any violations of any condition of this recognition letter or if your performance is not considered satisfactory or found involved in any unethical and unprofessional conduct or not found physically fit and mentally sound for carrying out tests and examinations.

Your photograph(s) is/are enclosed for reference.

Any Change in organisation including manpower, a brief report on your performance of each competent person should be submitted to this office every year ending 31st March.

The subject recognition is otherwise valid upto 25/10/2027. The extensions of the Validity will be considered on submission of the following documents.

i. Performance Report

ii. Medical fitness certificate in respect of each competent person of your organisation.

iii. Any change in Technical/Competent Person.

Please acknowledge the receipt of the same.

Yours faithfully,

(Deepak Patel)
Dy. Controller of Explosives
For Chief Controller of Explosives

Copy forwarded to :-
All Circle and Sub-Circle offices

For Chief Controller of Explosives

(For more information regarding status,fees and other details please visit our website http://peso.gov.in)

Digitally signed by DEEPAK PATEL
Location:Nagpur [CPS124893]
Date:26-10-2026 19:11:02 PM